




DERO
A PLAYCORE Company




Meter Hitch

Based on our popular Bike Hitch, the Meter Hitch is designed to fit into the streetscape. The Meter Hitch has a minimal footprint and is a bicyclist favorite for its ease of use and solid bike support. Planners also appreciate that design restricts bikes to parking parallel with the rack so bikes will not interfere with pedestrian right of way or the street.

Patent D620,8455



Please provide the following dimensions before ordering:



A handy way to calculate the diameter is to wrap a cloth tape measure or string around the pole and divide the circumference by 3.14.

CAPACITY

2 Bikes

MATERIALS

Centerbeam: 2.5" schedule 40 pipe

All Meter Hitches are made based on existing pole dimension to be provided by customer. To calculate the diameter, wrap a cloth tape measure or string around the pole and divide the circumference by 3.14. Please verify all post dimensions, including desired height with Dero before ordering.

FINISHES

☐

Galvanized

An after fabrication hot dipped galvanized finish is our standard option.

☐

Powder Coat

Our powder coat finish assures a high level of adhesion and durability by following these steps:

1. Chemical wash and treatment for corrosion reduction
2. Epoxy primer electrostatically applied
3. Final thick TGIC polyester powder coat

☐

Stainless

Stainless Steel: 304 grade stainless steel material finished in either a high polished shine or a satin finish.

MOUNT OPTIONS

Hitch Mount

Meter Hitch slides over existing 2.38" OD parking meter poles. Two tamper-resistant set screws secure the Meter Hitch to the parking meter pole.

CAP

☐

Capped (if no meter will remain on the pole)

☐

Uncapped (if meter will remain on the pole)

